CONTENTS OF VOLUME 434

March 1991

POUCHER S.M. & KARIM F. The renal response to electrical stimulation of renal efferent sympathetic nerves in the anaesthetized greyhound. 1

CLOUGH Geraldine & MICHEL Charles Enhanced fluid uptake in frog mesenteric capillaries associated with plasmin perfusion. 11

DIFRANCESCO Dario The contribution of the 'pacemaker' current (i_f) to generation of spontaneous activity in rabbit sino-atrial node myocytes. With an Appendix by D. NOBLE, J.C. DENYER & D. DIFRANCESCO. 23

NEMETH Patti M., ROSSER Benjamin W.C. & WILKINSON Robert S. Metabolic and contractile uniformity of isolated motor unit fibres of snake muscle. 41

VAN GINNEKEN A.C.G. & GILES W. Voltage clamp measurements of the hyperpolarization-activated inward current I_f in single cells from rabbit sino-atrial node. 57

CERSCHENFELD H.M., PAUPARDIN-TRITSCH Daniele & YAKEL J.L. Muscarinic enhancement of the voltage-dependent calcium current in an identified snail neuron. 85

CONNOLD A.L. & VRBOVÁ G. Temporary loss of activity prevents the increase of motor unit size in partially denervated rat soleus muscles. 107

GINSBORG B.L., MARTIN R.J. & PATMORE L. On the sodium and potassium currents of a human neuroblastoma cell line. 121

GRACIES J.M., MEUNIER S., PIERROT-DESEILLIGNY E. & SIMONETTA M. Pattern of propriospinal-like excitation to different species of human upper limb motoneurones. 151

NIELSEN J. & PIERROT-DESEILLIGNY E. Pattern of cutaneous inhibition of the propriospinal-like excitation to human upper limb motoneurones. 169

LLANO Isabel, MARTY Alain, ARMSTRONG Clay M. & KONNERTH Arthur Synaptic- and agonist-induced excitatory currents of Purkinje cells in rat cerebellar slices. 183

FIEBER Lynne A. & ADAMS David J. Acetylcholine-evoked currents in cultured neurones dissociated from rat parasympathetic cardiac ganglia. 215

FIEBER Lynne A. & ADAMS David J. Adenosine triphosphate-evoked currents in cultured neurones dissociated from rat parasympathetic cardiac ganglia. 239

SAKAGUCHI M., INAISHI Y., KASHIHARA Y. & KUNO M. Release of calcitonin gene-related peptide from nerve terminals in rat skeletal muscle. 257

TASKER Jeffrey G. & DUDEK F. Edward Electrophysiological properties of neurones in the region of the paraventricular nucleus in slices of rat hypothalamus. 271

HAYES Kristen, YARDLEY Christopher P. & WEAVER Lynne C. Evidence for descending tonic inhibition specifically affecting sympathetic pathways to the kidney in rats. 295

LÄNNERGREN Jan & WESTERBLAD Håkan Force decline due to fatigue and intracellular acidification in isolated fibres from mouse skeletal muscle. 307

WESTERBLAD Håkan & LÄNNERGREN Jan Slowing of relaxation during fatigue in single mouse muscle fibres. 323

FAGAN M. & ANDREW R.D. Intracellular study of calcium-related events in cat magnocellular neuroendocrine cells. 337

SEPÚLVEDA F.V., FARGON F. & MCNAUGHTON P.A. K^+ and Cl^- currents in enterocytes isolated from guinea-pig small intestinal villi. 351

CRAWFORD A.C., EVANS M.G. & FETTIPLACE R. The actions of calcium on the mechano-electrical transducer current of turtle hair cells. 369

HODSON Stuart, O'LEARY Daniel & WATKINS Sharon The measurement of ox corneal swelling pressure by osmometry. 399

BAUER Anthony J. & SZURSZEWSKI Joseph H. Effect of opioid peptides on circular muscle of canine duodenum. 409

BANGSBO J., GOLLNICK P.D., GRAHAM T.E. & SALTIN B. Substrates for muscle glycogen synthesis in recovery from intense exercise in man. 423

EYRE J.A., MILLER S. & RAMESH V. Constancy of central conduction delays during development in man: investigation of motor and somatosensory pathways. 441

MATSUKAWA Kanji, MITCHELL Jere H., WALL P. Tim & WILSON L. Britt The effect of static exercise on renal sympathetic nerve activity in conscious cats. 453

SITSAPESAN Rebecca, MONTGOMERY Richard A.P., MACLEOD Kenneth T. & WILLIAMS Alan J. Sheep cardiac sarcoplasmic reticulum calcium-release channels: modification of conductance and gating by temperature. 469

BERNHARDT I., HALL A.C. & ELLORY J.C. Effects of low ionic strength media on passive human red cell monovalent cation transport. 489

LAMB G.D. & STEPHENSON D.G. Effect of Mg^{2+} on the control of Ca^{2+} release in skeletal muscle fibres of the toad. 507

MURPHY P.R. & HAMMOND G.R. The role of cutaneous afferents in the control of γ-motoneurones during locomotion in the decerebrate cat. 529

SIEGENBEEK VAN HEUKELOM J. Role of the anomalous rectifier in determining membrane potentials of mouse muscle fibres at low extracellular K^+. 549

LAIRD Jennifer M.A. & CERVERO Fernando Signalling of a step-like intensity change of noxious mechanical stimuli by dorsal horn neurones in the rat spinal cord. 561

COPELLO Julio, SEGAL Yoav & REUSS Luis Cytosolic pH regulates maxi K^+ channels in *Necturus* gall-bladder epithelial cells. 577

SPAIN W.J., SCHWINDT P.C. & CRILL W.E. Two transient potassium currents in layer V pyramidal neurones from cat sensorimotor cortex. 591

SPAIN W.J., SCHWINDT P.C. & CRILL W.E. Post-inhibitory excitation and inhibition in layer V pyramidal neurones from cat sensorimotor cortex. 609

RODRIGO Glenn C. & CHAPMAN R.A. The calcium paradox in isolated guinea-pig ventricular myocytes: effects of membrane potential and intracellular sodium. 627

NAKAZAWA Ken, FUJIMORI Kannosuke, TAKANAKA Akira & INOUE Kazuhide Comparison of adenosine triphosphate- and nicotine-activated inward currents in rat phaeochromocytoma cells. 647

PROCEEDINGS OF THE PHYSIOLOGICAL SOCIETY

9–10 *November* 1990

Mill Hill Meeting

DEMONSTRATIONS

Ogden D., Carter D. & Lomax R. Measurement of fluorescence and conductance in single cells following flash photolytic release of second messengers. 2*P*

Douglas Robert M. VAST: a Macintosh-based program for electrophysiological experiments. 3*P*

Fine A., Li Chinglu, Hosokawa T., Chavez-Noriega L.E. & Bliss T.V.P. Visualization of synaptic elements in living hippocampal slices by confocal microscopy. 4*P*

Li Daqing & Raisman Geoffrey Intracellular injection of neurobiotin in roller-tube cultures of rat hippocampus. 5*P*

Török Katy, Patel J.R. & Ferenczi M.A. Permeabilization of isolated frog skeletal muscle with α-toxin results in fibres with a competent sarcoplasmic reticulum. 6*P*

Corrie John E.T. & Trentham David R. The development of photosensitive 'caged' fluorophores for cellular physiology. 7*P*

Anson M. Temperature dependence of the velocity of fluorescently labelled F-actin sliding on rabbit skeletal myosin *in vitro*. 8*P*

COMMUNICATIONS

Binns K.E., Withington D.J. & Keating M.J. The map of auditory space in the external nucleus of the inferior colliculus (ICX) of the anaesthetized guinea-pig can be elaborated in the absence of visual experience. 9*P*

Dhanjal S.S., Ruddock K.H. & Savage C.J. Audio-visual field mapping in human albinism. 10*P*

Wallace M.N., Kitzes L.M. & Jones E.G. Relationship of intrinisic patchy connections to the isofrequency bands in cat primary auditory cortex. 11*P*

Dawes E.A., Brickley S., Grant S. & Keating M.J. Rearing in a stroboscopically illuminated environment is sufficient to effect only limited degrees of intertectal plasticity in *Xenopus*. 12*P*

Dehay C., Kennedy H., Smart I.H.M. & Berland M. Cell production gradients in the developing primate visual cortex. 13*P*

Berardi N., Carmignoto G., Cremisi F., Domenici L., Maffei L., Parisi V. & Pizzorusso T. NGF prevents the change in ocular dominance distribution induced by monocular deprivation in the rat visual cortex. 14*P*

Lueck C.J., Ingram D.A., Crawford T.J. & Kennard C. The effect of transcranial magnetic stimulation on saccades in man. 15*P*

Maskill D., Murphy K., Mier A. & Guz A. Where is the motor cortical representation of the inspiratory muscles in man? 16*P*

Nicol D.J., Granat M.H., Baxendale R.H. & Andrews B.J. Dishabituation of the flexion reflex in spinal man. 17*P*

Jellinek D.A., Symon L. & Jewkes D.A. Changes in motor-evoked potentials and conduction times in humans under propofol anaesthesia. 18*P*

Saha Sikha, Appenteng Kwabena & Batten Trevor F.C. The distribution of GABA-immunoreactive terminals within the V motor nucleus of rats. 19*P*

Greensmith L., Hasan H.I. & Vrbová G. Nerve injury in anaesthetized neonatal rats increases the subsequent susceptibility of motoneurones to NMDA-induced neurotoxicity. 20*P*

Williams J.H. & Bliss T.V.P. Arachidonate-induced potentiation of synaptic transmission in the rat hippocampus *in vitro* is not mimicked by other *cis*-unsaturated fatty acids. 21*P*

Ito S. & Cherubini E. A chloride-dependent glycine response of neonatal rat hippocampal neurones *in vitro*. 22*P*

Dray A., Patel I.A., Rueff A. & Urban L. Bradykinin-induced stimulation of nociceptors in the neonatal rat spinal cord/tail *in vitro*: contribution of nitric oxide? 23*P*

Clark Beverley & Mobbs Peter Transmitter-gated ion channels in retinal astrocytes *in situ*, studied in the isolated retina of the rabbit. 24*P*

Morales A. & Miledi R. Properties of rat spinal cord glycine receptors expressed in *Xenopus* oocytes. 25*P*

Ivorra Isabel, Chen Yi Ting & Parker Ian Freshly isolated *Xenopus* oocytes show large currents on hyperpolarization. 26*P*

Fisher N.D. & Nistri A. An unusual K^+ conductance of rat motoneurones *in vitro* is blocked by thyrotrophin-releasing hormone (TRH). 27*P*

Brown E.R., Bone Q. & Abbott N. Joan Schwann cell morphology in the squid *Loligo*; implications for physiology. 28*P*

Scott R.H., Sweeney M.I., Dolphin A.C., Timms G.H. & Pullar I.A. The action of arginine polyamine on voltage-activated currents recorded from cultured rat dorsal root ganglion neurones. 29*P*

Valverde M.A., Sheppard D.N., Represa J.J. & Giraldez F. Transient outward currents in cochlear ganglion cells isolated from the chick embryo. 30*P*

Fraser G., McNicholas C.M., Brown C.D.A. & Sandle G.I. High-conductance basolateral potassium channels in intact crypts from rat duodenum. 31*P*

Busch A., Hurst R., Kavanaugh M.P., Christie M.J., Osborne P.B., Adelman J.P. & North R.A. The site of binding of α-dendrotoxin to voltage-dependent potassium channels cloned from rat brain and expressed in *Xenopus* oocytes. 32*P*

Plant T.D. Clonidine decreases ATP-sensitive potassium currents in cultured pancreatic B-cells of the mouse. 33*P*

Dunne M.J., Chan S.L.F., Morgan N.G. & Stillings M.R. Block of ATP-sensitive potassium channels in isolated rat islets of Langerhans and clonal (RINm5F) insulin-secreting cells by α_2-adrenergic antagonists. 34*P*

Smith Paul A., Fewtrell Clare & Ashcroft Frances M. Ba currents through L-type Ca channels in isolated mouse pancreatic β-cells. 35*P*

Beech D.J., Bernheim L. & Hille B. Muscarinic receptor coupling to calcium channels via a diffusible second messenger in acutely dissociated rat sympathetic neurones *in vitro*. 36*P*

Szatkowski Marek, Barbour Boris & Attwell David The K^+ dependence of excitatory amino acid uptake into glial cells isolated from the tiger salamander retina. 37*P*

Mahaut-Smith M.P., Rink T.J. & Sage S.O. 'Whole-cell' recordings of ADP-evoked currents and single-channel events in human platelets using nystatin-permeabilized patches. 38*P*

Ogden D.C., Capiod T. & Carter T. The delay in activation of plasmalemmal K conductance by Ca ions released by inositol trisphosphate in guinea-pig hepatocytes. 39*P*

Miles J.P., Griffiths T.L. & Holgate S.T. Ventilation during mild sustained static forearm exercise in man. 40*P*

Paterson David J. & Nye Piers C.G. Interaction between the effects of oxygen and potassium on ventilation in the decerebrate cat. 41*P*

Barer Gwenda, Bee Denise & Emery Celia Role of endothelial-derived relaxant factors (EDRF) in hypoxic pulmonary hypertension in rats; studies on isolated perfused lungs. 42*P*

Sewell D.A. & Harris R.C. Lactate and ammonia appearance in relation to exercise duration in the thoroughbred horse. 43*P*

Mian Rubina & Marshall Janice M. The role of adenosine in responses evoked by systemic hypoxia in arterioles and venules of skeletal muscle of the anaesthetized rat. 44*P*

Schachter M., Matthews B. & Bhoola K.D. Evidence that nitric oxide, or a related substance, is a mediator of nerve-induced vasodilatation in the submandibular salivary gland of anaesthetized cats. 45*P*

Turnbull A.V., Kirkman E., Rothwell N.J. & Little R.A. The involvement of corticotrophin-releasing factor (CRF) in the modulation of the baroreflex by hindlimb ischaemia in the anaesthetized rat. 46*P*

Dashwood M.R., Gao G.C., Sykes R.M. & Wei E.T. Autoradiographic localization of [^{125}I]corticotrophin-releasing factor binding sites in rat tissue *in vitro*; correlation with inhibition of vascular leakage. 47*P*

Doni M.G., Whittle B.J.R. & Moncada S. Comparative actions of ionophore A23187 and bradykinin on the integrity of bovine endothelial cells in culture and on the release of prostacyclin and nitric oxide. 48*P*

Carter T.D., Bogle R. & Bjaaland T. Changes in intracellular calcium ion concentration induced in single porcine cultured aortic endothelial cells by ATP and bradykinin. 49*P*

Fern Robert & Harrison P.J. The slow time course of conduction slowing in myelinated axons of the isolated frog sciatic nerve perfused with a high concentration of potassium ions. 50*P*

Kros C.J., Rüsch A. & Russell I.J. Differences between potassium currents of neonatal and mature mouse inner hair cells *in vitro*. 51*P*

Rüsch A., Kros C.J., Richardson G.P. & Russell I.J. Potassium and calcium currents in outer hair cells in organotypic cultures of the neonatal mouse cochlea. 52*P*

Robinson D.W., Ratto G.M. & McNaughton P.A. Development of the light response in rods isolated from neonatal rat retina. 53*P*

Christians Kathleen & Simkiss K. The identification of primordial germ cell clones in the chimaeric gonad of the fowl embryo. 54*P*

Kucera Jan & Walro Jon M. Development of muscle spindles in fetal rats treated with tetrodotoxin. 55*P*

Goodbrand I.A. The microglial response to optic nerve injury in *Xenopus*. 56*P*

Brown A.M. & McCrohan C.R. Role of extracellular calcium ions in pentylenetrazol-induced activity in an identified neurone in the isolated CNS of *Lymnaea stagnalis*. 57*P*

Yar T. & Winlow W. Cultured *Lymnaea* neurones maintain their normal action potential types. 58*P*

Lodder M.A.N. & de Haan A. The effect of interval duration on fatigue in the anaesthetized rat. 59*P*

de Haan A., Lodder M.A.N. & Sargeant A.J. Length-dependent after-effects of an active prestretch on skeletal muscle force of the anaesthetized rat. 60*P*

Frischknecht R. & Vrbová G. Response of rat EDL muscles to overload and low-frequency electrical stimulation. 61*P*

McArdle A., Edwards R.H.T. & Jackson M.J. ^{45}Calcium accumulation by isolated muscles from dystrophin-deficient mdx mice. 62*P*

Burton K. & Simmons R.M. Changes in stiffness during the transition from the isometric state to steady shortening in skinned fibres isolated from rabbit psoas muscle. 63*P*

Böhle Th. & Lüttgau H.Ch. The effect of diltiazem on force and Ca^{2+} current in isolated skeletal muscle fibres of the frog. 64*P*

Posangi J., Zar M.A. & Harris J.B. Contractile action of palytoxin on the isolated detrusor muscle of the rat. 65*P*

Montgomery B.S.I., Thomas P.J. & Fry C.H. The effects of raised extracellular Mg on human detrusor smooth muscle *in vitro*. 66*P*

Neal M.J., Cunningham J.R., Hutson P.H. & Semark J.E. Calcium-dependent release of γ-aminobutyric acid (GABA) and acetylcholine (ACh) from the isolated rabbit retina and from the retina of the anaesthetized rabbits. 67*P*

Kusmic C. & Marchiafava P.L. Trout pineal photoreceptors transduce steady levels of illumination to maintain a constant rate of indolamine secretion. 68*P*

Van der Kloot W. & Tonra J.R. Cholinergic agonists decrease the size of large quanta and decrease quantal output at isolated frog neuromuscular junctions. 69*P*

Perry R.J. & McNaughton P.A. Characteristics of Ca_o and K_o binding sites of the Na–Ca,K exchange in isolated salamander rod outer segments. 70*P*

Herrmann-Frank A., Darling E. & Meissner G. Evidence for a Ca^{2+}-gated Ca^{2+} release channel complex in canine and porcine vascular smooth muscle sarcoplasmic reticulum. 71*P*

Kozlowski R.Z., Twist V.W., Brown A.M. & Powell T. Activation of L-type Ca^{2+} currents in isolated guinea-pig ventricular myocytes by photolabile GTPγS. 72*P*

Fogaça R.H.T., Kentish J.C., Nosek T.M. & Godt R.E. Developmental changes in isometric force of isolated trabeculae from chicken heart. 73*P*

Wang D.Y. & Lee C.O. Effects of caesium, isoprenaline and carbachol on intracellular Na activity and pacemaker potential in sino-atrial node tissue isolated from the rabbit heart. 74*P*

Law R.O. Volume-dependent amino acid efflux from cells in rat inner medullary slices. 75*P*

Pariente J.A., Singh J., Salido G.M. & Jennings L. Effects of histamine, H_1 and H_2 receptor agonists and antagonists on amylase secretion and calcium mobilization in the isolated guinea-pig pancreas. 76*P*

Haigh R.M. & Jones C.T. Glucocorticoid regulation of G proteins in rat aorta. 77*P*

MacIntyre Iain, Moonga Baljit S. & Zaidi Mone Amylin: a new calcium-regulating hormone from the pancreas? 78*P*

Wells T. & Balment R.J. Vasopressin secretion, plasma and cerebrospinal fluid (CSF) composition following peripheral osmotic stimulation in anaesthetized normotensive and hypertensive rats. 79*P*

Windle R.J. & Forsling Mary L. The effect of exposure to constant light on neurohypophysial function in the male rat. 80*P*

Herbison Allan E. & Dyer Richard G. Bicuculline and γ-aminobutyric acid (GABA) infused into the medial preoptic area (MPOA) of the conscious ovariectomized rat inhibit luteinizing hormone (LH) secretion. 81*P*

Russell J.A., Pumford K.M. & Leng G. Intracerebroventricular pertussis toxin pre-treatment attenuates morphine inhibition of putative oxytocin neurones in anaesthetized rats. 82*P*

Dyball R.E.J., Way S.A. & Leng G. Modulation of oxytocin release at the secretory terminal by endogenous opioids following systemic administration of cholecystokinin in the rat. 83*P*

Patel H., Chowdrey H.S. & Lightman S.L. Lactation abolishes corticotrophin releasing factor-induced oxytocin secretion in the conscious rat. 84*P*

Toescu E.C. & Nordmann J.J. Effects of different replacements for Na^+ on vasopressin release from isolated rat neurohypophysial peptidergic nerve terminals. 85*P*

Fairhall K.M., Gabrielsson B.G. & Robinson I.C.A.F. The effect of insulin-like growth factor-1 and insulin on growth hormone secretion in fasted guinea-pigs. 86*P*

Moisan M.-P., Seckl J.R. & Edwards C.R.W. Effect of adrenalectomy and dexamethasone administration on 11β-hydroxysteroid dehydrogenase *in vitro* activity in rat brain and kidney. 87*P*

Coombes J.E. & Russell J.A. Lack of cross-tolerance in the posterior pituitary to the inhibitory actions of U50,488H on oxytocin secretion in morphine-dependent, anaesthetized lactating rats. 88*P*

Shipston M.J., McArthur M. & Antoni F.A. Glucocorticoid suppression of stimulated corticotrophin release by rat adenohypophysis *in vitro*: the nature of the secretory stimulus determines the pattern of inhibition. 89*P*

Hamamura Mitsuko, Emson P.C. & Kiyama H. Rapid osmotic activation of c-fos mRNA expression in the antero-ventral third ventricular region (AV3V) and subfornical organ of rats. 90*P*

Stansfield C.E., Fagni L., Marsh S.J., Brown D.A. & Feltz A. Kinetics of the dendrotoxin-sensitive K current in dissociated dorsal root ganglion (DRG) neurones of the rat. 91*P*

Henderson R.M. & Cuthbert A.W. An outward-rectifying potassium channel in cultured cystic fibrosis human eccrine sweat-gland cells. 92*P*

Thorn P.J. & Petersen O.H. Calcium channel modulation by vasopressin in cultured insulin-secreting cells of the rat. 93*P*

Herve J.C., Noble D., Powell T. & Twist V.W. Calcium current of single ground squirrel and guinea-pig ventricular myocytes. 94*P*

Bowie D. & Smart T.G. Non-NMDA receptors expressed in *Xenopus laevis* oocytes after injection with rat brain mRNA are differentially antagonized by thiocyanate ions. 95*P*

Johnson M.S., Mitchell R., MacEwan D.J. & Thomson F.J. Modulation by phorbol 12,13-dibutyrate of dihydropyridine-sensitive hormone release from rat anterior pituitary tissue *in vitro*. 96*P*

Thomson F.J., Mitchell R., Johnson M.S. & MacEwan D.J. A possible role for phospholipase A_2 in phorbol ester-induced release of hormones from rat anterior pituitary tissue *in vitro*. 97*P*